

OUTLINE

1 CHAPTER 5: STACKS AND QUEUES

- Stacks
- In-class work



THE STACK ADT

A CONTAINER CLASS FOR LAST-IN-FIRST-OUT ACCESS

A **stack** is a **last in, first out (LIFO)** structure, a list-like container with access restricted to one end of the list: the **top** of the stack). One can

- **push** an item onto the stack
- **pop** an item off the stack (precondition: stack is not empty)
- Inspect the **top** position (precondition: stack is not empty)
- Obtain the current **size** of the stack.

THE STACK ADT

SPECIFICATION FOR A TYPICAL STACK

```
class Stack:
    def __init__(self):
        """ post:  creates an empty LIFO stack"""

    def push(self,x):
        """post:  places x on top of the stack"""

    def pop(self):
        """pre:  self.size()>0
        post:  removes and returns the top element"""

    def top(self):
        """pre:  self.size()>0
        post:  returns the top element"""

    def size(self):
        """post:  returns the number of elements in the stack"""
```

SIMPLE STACK APPLICATIONS

FEW EXAMPLES OF STACK APPLICATIONS

- graphical editors (“undo” operations)
- function calls (“nested” function calls)
- Evaluation of expressions
example: $((x + y)/(2 * x) - 10 * z)$ - balance of grouping symbols

See the code of [Stack.py](#) and [Stack.h](#) along with [Stack.cpp](#)

STACK APPLICATIONS: GROUPING SYMBOLS

BALANCED GROUPING SYMBOLS

Assume we are given an algebraic expression and are asked to check that the grouping symbols are balanced.

Examples:

$$((x + y)/(2 * x) - 10 * z)$$

$$[x * *3 - 2 * (2 * x * *5 - 19x * *3)]$$

$$\{2 - x * ([a - b] **2 - 10 * g) + 7 * (2 - 5 * [a **2 - b **2])\} - 10 * x$$

$$\{x - y\} / \{x + y\}$$

STACK APPLICATIONS: GROUPING SYMBOLS

REASONING

Questions:

- What grouping symbols can we meet?
- Do we care about all other symbols (non-grouping ones)?

Examples:

$$((x + y)/(2 * x) - 10 * z)$$

$$[x ** 3 - 2 * (2 * x ** 5 - 19x ** 3)]$$

$$\{2 - x * ([a - b] ** 2 - 10 * g) + 7 * (2 - 5 * [a ** 2 - b ** 2])\} - 10 * x$$

STACK APPLICATIONS: GROUPING SYMBOLS

BALANCED GROUPING SYMBOLS

IDEA:

input: a string (or a sequence) of symbols**output:** verdict (True/False)

- 1 get the next symbol from the input
- 2 if it is an opening grouping symbol, push it into the stack
- 3 if it is a closing grouping symbol, pop the grouping symbol from the stack, check for correspondence : $\{ \}$, $()$, $[]$
if they correspond, proceed to step 1
otherwise return False
- 4 (there are no more symbols in the input) if the stack is not empty return False, otherwise return True

STACK APPLICATIONS: GROUPING SYMBOLS

BALANCED GROUPING SYMBOLS

$$\{ [2 * (7 - 4) + 2] + 3 \} * 4$$


STACK APPLICATIONS: GROUPING SYMBOLS

BALANCED GROUPING SYMBOLS

$$\{ [2 * (7 - 4) + 2] + 3 \} * 4$$


{

STACK APPLICATIONS: GROUPING SYMBOLS

BALANCED GROUPING SYMBOLS

$$\{ [2 * (7 - 4) + 2] + 3 \} * 4$$

[

{

STACK APPLICATIONS: GROUPING SYMBOLS

BALANCED GROUPING SYMBOLS

{ [2 * (7 - 4) + 2] + 3 } * 4

[

{

STACK APPLICATIONS: GROUPING SYMBOLS

BALANCED GROUPING SYMBOLS

$$\{ [2 * (7 - 4) + 2] + 3 \} * 4$$

[

{

STACK APPLICATIONS: GROUPING SYMBOLS

BALANCED GROUPING SYMBOLS

$$\{ [2 * (7 - 4) + 2] + 3 \} * 4$$

(

[

{

STACK APPLICATIONS: GROUPING SYMBOLS

BALANCED GROUPING SYMBOLS

$$\{ [2 * (7 - 4) + 2] + 3 \} * 4$$

(

[

{

STACK APPLICATIONS: GROUPING SYMBOLS

BALANCED GROUPING SYMBOLS

$$\{ [2 * (7 - 4) + 2] + 3 \} * 4$$

(

[

{

STACK APPLICATIONS: GROUPING SYMBOLS

BALANCED GROUPING SYMBOLS

$$\{ [2 * (7 - 4) + 2] + 3 \} * 4$$

(

[

{

STACK APPLICATIONS: GROUPING SYMBOLS

BALANCED GROUPING SYMBOLS

$$\{ [2 * (7 - 4) + 2] + 3 \} * 4$$

(

[

{

STACK APPLICATIONS: GROUPING SYMBOLS

BALANCED GROUPING SYMBOLS

$$\{ [2 * (7 - 4) + 2] + 3 \} * 4$$

[

{

STACK APPLICATIONS: GROUPING SYMBOLS

BALANCED GROUPING SYMBOLS

$$\{ [2 * (7 - 4) + 2] + 3 \} * 4$$

[

{

STACK APPLICATIONS: GROUPING SYMBOLS

BALANCED GROUPING SYMBOLS

$$\{ [2 * (7 - 4) + 2] + 3 \} * 4$$

[

{

STACK APPLICATIONS: GROUPING SYMBOLS

BALANCED GROUPING SYMBOLS

$$\{ [2 * (7 - 4) + 2] + 3 \} * 4$$


{

STACK APPLICATIONS: GROUPING SYMBOLS

BALANCED GROUPING SYMBOLS

$$\{ [2 * (7 - 4) + 2] + 3 \} * 4$$


{


STACK APPLICATIONS: GROUPING SYMBOLS

BALANCED GROUPING SYMBOLS

$$\{ [2 * (7 - 4) + 2] + 3 \} * 4$$



STACK APPLICATIONS: GROUPING SYMBOLS

BALANCED GROUPING SYMBOLS

$$\{ [2 * (7 - 4) + 2] + 3 \} * 4$$


STACK APPLICATIONS: GROUPING SYMBOLS

BALANCED GROUPING SYMBOLS

$$\{ [2 * (7 - 4) + 2] + 3 \} * 4$$


STACK APPLICATIONS: GROUPING SYMBOLS

BALANCED GROUPING SYMBOLS

```
def parensBalance2(s):
    stack = Stack()
    for ch in s:
        if ch in "([{": # push an opening marker
            stack.push(ch)
        elif ch in ")]}": # match closing
            if stack.size() < 1: # no pending open
                return False
            else:
                opener = stack.pop()
                if opener+ch not in ["()", "[]", "{}"]:
                    return False # not a matching pair
    return stack.size() == 0 # everything matched?
```

AN APPLICATION: EXPRESSION MANIPULATION

NOTATIONS FOR OPERATIONS

- **infix notation:** $(2 + 3) * 4$
operators are between numbers
- **prefix (Polish) notation:** $* + 2 3 4$
start from the right, walk to the left
- **postfix (reverse Polish) notation:** $2 3 + 4 *$
start from the left, walk to the right

AN APPLICATION: EXPRESSION MANIPULATION

PREFIX (POLISH) NOTATION

 $* + 2 3 4 =$

AN APPLICATION: EXPRESSION MANIPULATION

PREFIX (POLISH) NOTATION

```
* + 2 3 4 =  
= *   5   4  
= 20
```

AN APPLICATION: EXPRESSION MANIPULATION

POSTFIX (REVERSE POLISH) NOTATION

 $2\ 3\ +\ 4\ *\ =$

AN APPLICATION: EXPRESSION MANIPULATION

POSTFIX (REVERSE POLISH) NOTATION

 $2\ 3\ +\ 4\ * =$ $=\ 5\ 4\ * =$

20

AN APPLICATION: EXPRESSION MANIPULATION

PREFIX AND POSTFIX NOTATIONS

The *advantage* of the prefix and postfix notations: parentheses are not necessary to modify the order of operations.

AN APPLICATION: EXPRESSION MANIPULATION

NOTATION FOR OPERATIONS


Postfix notation expressions can be evaluated easily using a stack:

- each time an operation is encountered,
- two numbers are popped off the stack,
- the operator is applied to those two numbers, and
- the result is pushed on the stack.

AN APPLICATION: EXPRESSION MANIPULATION

EVALUATING A POSTFIX EXPRESSION

3 4 5 + * 2 - 3 6 * +



AN APPLICATION: EXPRESSION MANIPULATION

EVALUATING A POSTFIX EXPRESSION

3 4 5 + * 2 - 3 6 * +

3

AN APPLICATION: EXPRESSION MANIPULATION

EVALUATING A POSTFIX EXPRESSION

3 4 5 + * 2 - 3 6 * +

4

3

AN APPLICATION: EXPRESSION MANIPULATION

EVALUATING A POSTFIX EXPRESSION

3 4 5 + * 2 - 3 6 * +

5

4

3

AN APPLICATION: EXPRESSION MANIPULATION

EVALUATING A POSTFIX EXPRESSION

3 4 5 + * 2 - 3 6 * +

9

3

AN APPLICATION: EXPRESSION MANIPULATION

EVALUATING A POSTFIX EXPRESSION

3 4 5 + * 2 - 3 6 * +

27

AN APPLICATION: EXPRESSION MANIPULATION

EVALUATING A POSTFIX EXPRESSION

3 4 5 + * 2 - 3 6 * +

2

27

AN APPLICATION: EXPRESSION MANIPULATION

EVALUATING A POSTFIX EXPRESSION

3 4 5 + * 2 - 3 6 * +

25

AN APPLICATION: EXPRESSION MANIPULATION

EVALUATING A POSTFIX EXPRESSION

3 4 5 + * 2 - 3 6 * +

3

25

AN APPLICATION: EXPRESSION MANIPULATION

EVALUATING A POSTFIX EXPRESSION

3 4 5 + * 2 - 3 6 * +

6

3

25

AN APPLICATION: EXPRESSION MANIPULATION

EVALUATING A POSTFIX EXPRESSION

3 4 5 + * 2 - 3 6 * +

18

25

AN APPLICATION: EXPRESSION MANIPULATION

EVALUATING A POSTFIX EXPRESSION

3 4 5 + * 2 - 3 6 * +

43

AN APPLICATION: EXPRESSION MANIPULATION

EVALUATING A POSTFIX EXPRESSION

Note that the order in which the values are popped from the stack is important!

4 5 - 2 * stands for $(4-5)*2$.

Not $(5-4)*2$, not $2*(5-4)$

Your HW assignment will be to implement the evaluation of a valid post-fix expression.

THE CALL STACK

FUNCTION CALLS CAN BE NESTED

- function A calls function B
- function B returns
- function A continues

THE CALL STACK


ACTIVATION RECORDS

- Function A is running, and calls function B.
- The local variables of function A, their current values, and where function B should return to are put into an **activation record**.
- The activation record is pushed onto the **call stack** which has been allocated for the program that is running.
- When function B returns, this record is popped off the call stack and used to continue running the program.

THE CALL STACK

EXAMPLE

```
def A(x, y):  
    1:  x2 = B(x)  
    2:  y2 = B(y)  
    3:  z = x2 + y2  
    4:  return z  
def B(n):  'squares n '  
    5:  n2 = n * n  
    6:  return n2  
def main():  
    7:  a = 3  
    8:  b = 4  
    9:  c = A(a, b)  
    10: print(c)  
    11: return
```




THE CALL STACK

EXAMPLE

```

def A(x, y):
    1:  x2 = B(x)
    2:  y2 = B(y)
    3:  z = x2 + y2
    4:  return z
def B(n):  'squares n '
    5:  n2 = n * n
    6:  return n2
def main():
    7:  a = 3
    8:  b = 4
    9:  c = A(a, b)
    10: print(c)
    11: return

```



locals return

Call Stack

a = 3


THE CALL STACK

EXAMPLE

```

def A(x, y):
    1:  x2 = B(x)
    2:  y2 = B(y)
    3:  z = x2 + y2
    4:  return z
def B(n):  'squares n '
    5:  n2 = n * n
    6:  return n2
def main():
    7:  a = 3
    8:  b = 4
    9:  c = A(a, b)
    10: print(c)
    11: return

```



locals return

Call Stack

a = 3, b = 4


THE CALL STACK

EXAMPLE

```

def A(x, y):
    1:  x2 = B(x)
    2:  y2 = B(y)
    3:  z = x2 + y2
    4:  return z
def B(n):  'squares n '
    5:  n2 = n * n
    6:  return n2
def main():
    7:  a = 3
    8:  b = 4
    9:  c = A(a, b)
    10: print(c)
    11: return

```



locals return

Call Stack

x = 3, y = 4


THE CALL STACK

EXAMPLE

```

def A(x, y):
    1:  x2 = B(x)
    2:  y2 = B(y)
    3:  z = x2 + y2
    4:  return z
def B(n):  'squares n '
    5:  n2 = n * n
    6:  return n2
def main():
    7:  a = 3
    8:  b = 4
    9:  c = A(a, b)
    10: print(c)
    11: return

```

`n = 3`


THE CALL STACK

EXAMPLE

```

def A(x, y):
    1:  x2 = B(x)
    2:  y2 = B(y)
    3:  z = x2 + y2
    4:  return z
def B(n):  'squares n '
    5:  n2 = n * n
    6:  return n2
def main():
    7:  a = 3
    8:  b = 4
    9:  c = A(a, b)
    10: print(c)
    11: return

```



locals return

Call Stack

n = 3, n2 = 9


THE CALL STACK

EXAMPLE

```

def A(x, y):
    1:  x2 = B(x)
    2:  y2 = B(y)
    3:  z = x2 + y2
    4:  return z
def B(n):  'squares n '
    5:  n2 = n * n
    6:  return n2
def main():
    7:  a = 3
    8:  b = 4
    9:  c = A(a, b)
    10: print(c)
    11: return

```




THE CALL STACK

EXAMPLE

```

def A(x, y):
    1:  x2 = B(x)
    2:  y2 = B(y)
    3:  z = x2 + y2
    4:  return z
def B(n):  'squares n '
    5:  n2 = n * n
    6:  return n2
def main():
    7:  a = 3
    8:  b = 4
    9:  c = A(a, b)
    10: print(c)
    11: return

```



locals return

Call Stack

x = 3, y = 4, x2 = 9


THE CALL STACK

EXAMPLE

```

def A(x, y):
    1:  x2 = B(x)
    2:  y2 = B(y)
    3:  z = x2 + y2
    4:  return z
def B(n):  'squares n '
    5:  n2 = n * n
    6:  return n2
def main():
    7:  a = 3
    8:  b = 4
    9:  c = A(a, b)
    10: print(c)
    11: return

```

`n = 4`


THE CALL STACK

EXAMPLE

```

def A(x, y):
    1:  x2 = B(x)
    2:  y2 = B(y)
    3:  z = x2 + y2
    4:  return z
def B(n):  'squares n '
    5:  n2 = n * n
    6:  return n2
def main():
    7:  a = 3
    8:  b = 4
    9:  c = A(a, b)
    10: print(c)
    11: return

```



locals return

Call Stack

$n = 4, n2 = 16$


THE CALL STACK

EXAMPLE

```

def A(x, y):
    1:  x2 = B(x)
    2:  y2 = B(y)
    3:  z = x2 + y2
    4:  return z
def B(n):  'squares n '
    5:  n2 = n * n
    6:  return n2
def main():
    7:  a = 3
    8:  b = 4
    9:  c = A(a, b)
    10: print(c)
    11: return

```




THE CALL STACK

EXAMPLE

```

def A(x, y):
    1:  x2 = B(x)
    2:  y2 = B(y)
    3:  z = x2 + y2
    4:  return z
def B(n):  'squares n '
    5:  n2 = n * n
    6:  return n2
def main():
    7:  a = 3
    8:  b = 4
    9:  c = A(a, b)
    10: print(c)
    11: return

```



locals return

Call Stack

x=3,y=4,x2=9,y2=16


THE CALL STACK

EXAMPLE

```

def A(x, y):
    1:  x2 = B(x)
    2:  y2 = B(y)
    3:  z = x2 + y2
    4:  return z
def B(n):  'squares n '
    5:  n2 = n * n
    6:  return n2
def main():
    7:  a = 3
    8:  b = 4
    9:  c = A(a, b)
    10: print(c)
    11: return

```



locals return

Call Stack

x=3,y=4,x2=9,y2=16,z=25


THE CALL STACK

EXAMPLE

```

def A(x, y):
    1:  x2 = B(x)
    2:  y2 = B(y)
    3:  z = x2 + y2
    4:  return z
def B(n):  'squares n '
    5:  n2 = n * n
    6:  return n2
def main():
    7:  a = 3
    8:  b = 4
    9:  c = A(a, b)
    10: print(c)
    11: return

```



locals return


Call Stack

x=3,y=4,x2=9,y2=16,z=25

THE CALL STACK

EXAMPLE

```
def A(x, y):  
    1:  x2 = B(x)  
    2:  y2 = B(y)  
    3:  z = x2 + y2  
    4:  return z  
def B(n):  'squares n '  
    5:  n2 = n * n  
    6:  return n2  
def main():  
    7:  a = 3  
    8:  b = 4  
    9:  c = A(a, b)  
    10: print(c)  
    11: return
```



locals return


Call Stack

a = 3, b = 4, c = 25

THE CALL STACK

EXAMPLE

```
def A(x, y):  
    1:  x2 = B(x)  
    2:  y2 = B(y)  
    3:  z = x2 + y2  
    4:  return z  
def B(n):  'squares n '  
    5:  n2 = n * n  
    6:  return n2  
def main():  
    7:  a = 3  
    8:  b = 4  
    9:  c = A(a, b)  
    10: print(c)  
    11: return
```



locals return

Call Stack

a = 3, b = 4, c = 25


THE CALL STACK

EXAMPLE

```

def A(x, y):
    1:  x2 = B(x)
    2:  y2 = B(y)
    3:  z = x2 + y2
    4:  return z
def B(n):  'squares n '
    5:  n2 = n * n
    6:  return n2
def main():
    7:  a = 3
    8:  b = 4
    9:  c = A(a, b)
    10: print(c)
    11: return

```



locals return

Call Stack

a = 3, b = 4, c = 25

IN-CLASS WORK

- Re-write expression $7 * (2 + 5) - 3 * (6 - 7)$ in postfix notation
- re-write the expression $3\ 2\ 5\ 7\ 3\ -\ +\ * -$ (it is in postfix notation) in infix notation (common way)
- Do *unit testing* of methods `push` and `size` in `Stack.py`.

For example, to test the `push` function:

`push` a value onto the stack, retrieve it immediately (using `pop` or `top`) and check whether the retrieved value is equal to the one you just pushed.